

18-6-8

NUTRICOTE® TOTAL

LONGEVITY / RELEASE - UP TO:

70 Days

at avg soil temperature of 77°F

FOR PROFESSIONAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18%
9.7% Ammoniacal Nitrogen	
8.3% Nitrate Nitrogen	
Available Phosphate (P₂O₅)*	6%
Soluble Potash (K₂O)*	8%
Magnesium (Mg)*	1.20%
1.2% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4%
4.0% Combined Sulfur	
Boron (B)*	0.02%
Copper (Cu)*	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)*	0.20%
0.2% Chelated Iron (Fe)	
Manganese (Mn)*	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.020%

DERIVED FROM:

Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P₂O₅), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

QUALITY CONTROL (QC) BATCH NUMBER

APPLICATION RATES

TOP-DRESS RATES - GRAMS PER CONTAINER				
TYPE	70 DAYS			
ITEM #	18-6-8-070			
	LOW	MED	HIGH	HEAVY
1 GAL	3	5	10	15
2 GAL	5	10	20	30
3 GAL	15	20	30	45
5 GAL	15	30	40	55
7 GAL	20	40	55	75
10 GAL	25	50	75	90
15 GAL	35	60	90	120
20 GAL	42	80	120	150
25 GAL	50	100	150	180
45 GAL	75	150	200	240
95 GAL	125	250	400	480
24 in. box	101	202	232	278
30 in. box	158	315	363	435
36 in. box	227	454	522	627
48 in. box	404	807	928	1114
per Sq. Ft.	25	50	58	70

SKU: 18-6-8-070

INCORPORATION RATES

INCORPORATION RATES - LBS PER CUBIC YARD				
	LOW	MED	HIGH	HEAVY
LBS.	2.0	4.5	7.5	9.0

BROADCAST RATES - LBS PER 1000 SQ. FT.			
	LOW	MED	HIGH
LBS.	3.0	3.8	4.2

The above rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED. This product must be stored under cool and dry conditions.

IMPORTANT NOTICE TO BUYER:

Please view Information printed directly on the bag regarding waiver of liability and product disclaimer.

Heavy Metal Statement

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION:

The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING:

This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and /or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

GUARANTEED BY: F1062

FLORIKAN E.S.A. LLC
1579 BARBER RD.
SARASOTA, FL 34240

NET WEIGHT: 50 LBS. / 22.68 kg.
41611

18-6-8

NUTRICOTE® TOTAL

LONGEVITY / RELEASE - UP TO:

100 DAYS

at an average soil temperature of 77°F

FOR PROFESSIONAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18%
9.7% Ammoniacal Nitrogen	
8.3% Nitrate Nitrogen	
Available Phosphate (P₂O₅)*	6%
Soluble Potash (K₂O)*	8%
Magnesium (Mg)*	1.20%
1.2% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4%
Boron (B)*	0.02%
Copper (Cu)*	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)*	0.20%
0.2% Chelated Iron (Fe)	
Manganese (Mn)*	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.020%

DERIVED FROM:

Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P₂O₅), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

QUALITY CONTROL (QC) BATCH NUMBER

APPLICATION RATES

TOP-DRESS RATES - GRAMS PER CONTAINER				
TYPE	100 DAYS			
ITEM #	18-6-8-100			
	LOW	MED	HIGH	HEAVY
1 GAL	5	10	15	20
2 GAL	10	20	30	40
3 GAL	15	25	40	55
5 GAL	30	40	60	85
7 GAL	35	50	75	105
10 GAL	40	60	95	135
15 GAL	50	75	125	160
20 GAL	55	90	150	175
25 GAL	60	125	175	220
45 GAL	75	200	300	360
95 GAL	125	375	550	775
24 in. box	150	300	350	420
30 in. box	235	475	545	655
36 in. box	340	680	785	940
48 in. box	605	1210	1390	1670
per Sq. Ft.	38	76	87	104

SKU: 18-6-8-100

INCORPORATION RATES

INCORPORATION RATES - LBS PER CUBIC YARD				
	LOW	MED	HIGH	HEAVY
LBS.	3.0	6.5	9.0	12.0

BROADCAST RATES - LBS PER 1000 SQ. FT.			
	LOW	MED	HIGH
LBS.	3.0	5.0	5.6

The above rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED.
This product must be stored under cool and dry conditions.

IMPORTANT NOTICE TO BUYER:

Please view Information printed directly on the bag regarding waiver of liability and product disclaimer.

Heavy Metal Statement

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION:

The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING:

This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and /or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

GUARANTEED BY: F1062

FLORIKAN E.S.A. LLC
1579 BARBER RD.
SARASOTA, FL 34240

NET WEIGHT: 50 LBS. / 22.68 kg.
41611

18-6-8

NUTRICOTE® TOTAL

LONGEVITY / RELEASE - UP TO:

140 Days

at avg soil temperature of 77°F

FOR PROFESSIONAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18%
9.7% Ammoniacal Nitrogen	
8.3% Nitrate Nitrogen	
Available Phosphate (P₂O₅)*	6%
Soluble Potash (K₂O)*	8%
Magnesium (Mg)*	1.20%
1.2% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4%
Boron (B)*	0.02%
Copper (Cu)*	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)*	0.20%
0.2% Chelated Iron (Fe)	
Manganese (Mn)*	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.020%

DERIVED FROM:

Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P₂O₅), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

QUALITY CONTROL (QC) BATCH NUMBER

APPLICATION RATES

TOP-DRESS RATES - GRAMS PER CONTAINER				
TYPE	140 DAYS			
ITEM #	18-6-8-140			
	LOW	MED	HIGH	HEAVY
1 GAL	10	15	25	35
2 GAL	15	25	35	50
3 GAL	25	35	50	70
5 GAL	40	50	60	85
7 GAL	45	55	80	110
10 GAL	50	85	120	145
15 GAL	75	100	150	180
20 GAL	85	125	175	210
25 GAL	100	150	200	250
45 GAL	150	250	350	420
95 GAL	250	450	625	750
24 in. box	240	490	565	696
30 in. box	380	775	880	1050
36 in. box	550	1100	1280	1525
48 in. box	975	2000	2290	2785
per Sq. Ft.	61	125	143	174

SKU: 18-6-8-140

INCORPORATION RATES

INCORPOR	LOW	MED	HIGH	HEAVY
LBS.	4.5	8.0	11.0	14.0
BROADCAST RATES - LBS PER 1000 SQ. FT.				
	LOW	MED	HIGH	
LBS.	8.8	9.7	10.0	

The above rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED.
This product must be stored under cool and dry conditions.

IMPORTANT NOTICE TO BUYER:

Please view Information printed directly on the bag regarding waiver of liability and product disclaimer.

Heavy Metal Statement

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION:

The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING:

This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and /or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

GUARANTEED BY: F1062

FLORIKAN E.S.A. LLC
1579 BARBER RD.
SARASOTA, FL 34240

NET WEIGHT: 50 LBS. / 22.68 kg.
41611

18-6-8

NUTRICOTE® TOTAL

LONGEVITY / RELEASE - UP TO:

180 Days

at avg soil temperature of 77°F

FOR PROFESSIONAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18%
9.7% Ammoniacal Nitrogen	
8.3% Nitrate Nitrogen	
Available Phosphate (P₂O₅)*	6%
Soluble Potash (K₂O)*	8%
Magnesium (Mg)*	1.20%
1.2% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4%
Boron (B)*	0.02%
Copper (Cu)*	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)*	0.20%
0.2% Chelated Iron (Fe)	
Manganese (Mn)*	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.020%

DERIVED FROM:

Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P₂O₅), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

QUALITY CONTROL (QC) BATCH NUMBER

APPLICATION RATES

TOP-DRESS RATES - GRAMS PER CONTAINER				
TYPE	180 DAYS			
ITEM #	18-6-8-180			
	LOW	MED	HIGH	HEAVY
1 GAL	10	15	20	30
2 GAL	15	25	35	50
3 GAL	30	45	60	75
5 GAL	45	55	80	96
7 GAL	50	60	90	110
10 GAL	60	90	135	160
15 GAL	75	125	150	190
20 GAL	100	150	200	245
25 GAL	125	175	250	300
45 GAL	200	275	450	540
95 GAL	350	575	800	960
24 in. box	303	605	696	835
30 in. box	473	946	1088	1305
36 in. box	681	1362	1566	1880
48 in. box	1211	2421	2785	3341
per Sq. Ft.	76	151	174	209

SKU: 18-6-8-180

INCORPORATION RATES

INCORPORATION RATES - LBS PER CUBIC YARD				
	LOW	MED	HIGH	HEAVY
LBS.	6.0	10.0	14.0	17.0

BROADCAST RATES - LBS PER 1000 SQ. FT.				
	LOW	MED	HIGH	
LBS.	8.0	10.0	11.1	

The above rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED. This product must be stored under cool and dry conditions.

IMPORTANT NOTICE TO BUYER:

Please view Information printed directly on the bag regarding waiver of liability and product disclaimer

Heavy Metal Statement

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION:

The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING:

This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and /or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

GUARANTEED BY: F1062

FLORIKAN E.S.A. LLC
1579 BARBER RD.
SARASOTA, FL 34240

NET WEIGHT: 50 LBS. / 22.68 kg.
41611

18-6-8

NUTRICOTE® TOTAL

LONGEVITY / RELEASE - UP TO:

270 Days

at avg soil temperature of 77°F

FOR PROFESSIONAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18%
9.7% Ammoniacal Nitrogen	
8.3% Nitrate Nitrogen	
Available Phosphate (P₂O₅)*	6%
Soluble Potash (K₂O)*	8%
Magnesium (Mg)*	1.20%
1.2% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4%
Boron (B)*	0.02%
Copper (Cu)*	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)*	0.20%
0.2% Chelated Iron (Fe)	
Manganese (Mn)*	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.020%

DERIVED FROM:

Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P₂O₅), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

QUALITY CONTROL (QC) BATCH NUMBER

APPLICATION RATES

TOP-DRESS RATES - GRAMS PER CONTAINER				
TYPE	270 DAYS			
ITEM #	18-6-8-270			
	LOW	MED	HIGH	HEAVY
1 GAL	12	17	23	35
2 GAL	20	30	45	55
3 GAL	40	55	75	90
5 GAL	55	70	90	110
7 GAL	60	85	120	145
10 GAL	85	120	145	175
15 GAL	100	145	175	210
20 GAL	137	190	235	285
25 GAL	175	210	300	360
45 GAL	250	375	500	610
95 GAL	500	750	1050	1300
24 in. box	430	880	1015	1210
30 in. box	670	1380	1580	1900
36 in. box	965	1985	2280	2740
48 in. box	1715	3530	4060	4875
per Sq. Ft.	107	221	254	305

SKU: 18-6-8-270

INCORPORATION RATES

INCORPORATION RATES - LBS PER CUBIC YARD				
	LOW	MED	HIGH	HEAVY
LBS.	8.0	12.0	18.0	22.0

BROADCAST RATES - LBS PER 1000 SQ. FT.				
	LOW	MED	HIGH	
LBS.	12.0	15.0	16.7	

The above rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN
HARMFUL IF SWALLOWED.
This product must be stored under cool and dry conditions.

IMPORTANT NOTICE TO BUYER:

Please view Information printed directly on the bag regarding waiver of liability and product disclaimer.

Heavy Metal Statement

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION:

The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING:

This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and /or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

GUARANTEED BY: F1062

FLORIKAN E.S.A. LLC
1579 BARBER RD.
SARASOTA, FL 34240

NET WEIGHT: 50 LBS. / 22.68 kg.
41611

18-6-8

NUTRICOTE® TOTAL

LONGEVITY / RELEASE - UP TO:

360 Days

at avg soil temperature of 77°F

FOR PROFESSIONAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)*	18%
9.7% Ammoniacal Nitrogen	
8.3% Nitrate Nitrogen	
Available Phosphate (P₂O₅)*	6%
Soluble Potash (K₂O)*	8%
Magnesium (Mg)*	1.20%
1.2% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4%
Boron (B)*	0.02%
Copper (Cu)*	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)*	0.20%
0.2% Chelated Iron (Fe)	
Manganese (Mn)*	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.020%

DERIVED FROM:

Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P₂O₅), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

QUALITY CONTROL (QC) BATCH NUMBER

APPLICATION RATES

TOP-DRESS RATES - GRAMS PER CONTAINER				
TYPE	360 DAYS			
ITEM #	18-6-8-360			
	LOW	MED	HIGH	HEAVY
1 GAL	17	23	35	45
2 GAL	25	40	55	70
3 GAL	45	60	80	95
5 GAL	60	85	110	135
7 GAL	75	95	120	145
10 GAL	90	140	175	215
15 GAL	125	175	215	250
20 GAL	175	215	275	335
25 GAL	200	250	325	390
45 GAL	325	450	575	700
95 GAL	575	825	1075	1300
24 in. box	605	1210	1392	1670
30 in. box	945	1890	2175	2610
36 in. box	1360	2725	3133	3760
48 in. box	2420	4840	5569	6685
per Sq. Ft.	151	303	348	418

SKU: 18-6-8-360

INCORPORATION RATES

INCORPORATION RATES - LBS PER CUBIC YARD				
	LOW	MED	HIGH	HEAVY
LBS.	11.0	15.0	21.0	25.0

BROADCAST RATES - LBS PER 1000 SQ. FT.				
	LOW	MED	HIGH	
LBS.	18.3	20.0	22.2	

The above rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED. This product must be stored under cool and dry conditions.

IMPORTANT NOTICE TO BUYER:

Please view Information printed directly on the bag regarding waiver of liability and product disclaimer.

Heavy Metal Statement

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CAUTION:

The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING:

This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and /or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

GUARANTEED BY: F1062

FLORIKAN E.S.A. LLC
1579 BARBER RD.
SARASOTA, FL 34240

NET WEIGHT: 50 LBS. / 22.68 kg.
41611